

Monthly Performance Measurement Report

February 08, 2022





- 1. Summary snapshot of current performance
- 2. Historical and current data availability
- 3. Additional performance details for each measure
- 4. FY 2021/22 Quarterly Summary Report
- 5. Indicator definitions



Summary

*

∲*

#	Indicator	Unit of Measure	Reporting Period	Target	Current Performance	Status		
1	Caregiver distress among home care clients	%	Dec 2021	<= 56%	54.1			
2	Hospitalization rate for conditions that can be managed outside hospital (asthma, diabetes, chronic obstructive pulmonary disease, heart failure, hypertension, angina and epilepsy)	Rate per 100,000 populatio n	Nov 2021	<= 20.40 monthly (61.20 quarterly) (244.80 annually)	17.7			
3	Alternate Level of Care (ALC) rate	%	Dec 2021	<=16.70%	18.5			
4	Frequent Emergency Room Visits for Help With Mental Health and/or Addictions	%	Dec 2021	<=7.40%	14.0	•		
5(a)	Total Expense / HPG Population for Palliative	\$	FY 2019/20	<=\$115.4M plus inflation				
5(b)	Total Expense / HPG Population for Dementia	\$	FY 2019/20	<=\$78.8M plus inflation				
Performance Corridors: 🧶 Greater than 10% of Target 😑 Within 10% of Target 🔵 Meets Target								






Data Availability

Indicator		Status - FY2021/22 data							Comments	
		May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	comments
Caregiver Distress Among Homecare Clients (%)	~	✓	~	✓	✓	✓	~	~	✓	
Ambulatory Care Sensitive Conditions Best Managed Elsewhere (Rate)	~	~	~	~	~	~	~	~	×	December 2021 data will be available by mid March 2022
ALC Rate (%)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Frequent ED Visits for Help with Mental Health and Addiction (%)	~	~	~	~	✓	✓	~	~	~	
Total Expense/HPG Population for Palliative		FY2017/18, FY2019/20								
and Dementia (M \$)		FY2020/21, FY2021/22								
	\checkmark	✓ Monthly data received								
	×	X Monthly data NOT received								



Caregiver Distress Among Homecare Clients (%): April 2019 to December 2021




Over the past 2 FY's:

- This trend shows the pandemic-related level shift of increased caregiver distress after the first 3 months of the pandemic.
- The caregiver distress among home care clients is significantly increased since 2020 until October 2021 with some declines in November 2020, May 2021, and July 2021.
- Tight admission criteria for LTC/ client or family choice not to enter LTC
- Staffing difficulties in home care
- Decreased access to other supports such as day programs and respite care



Ambulatory Care Sensitive Conditions Best Managed Elsewhere (%): April 2018 to November 2021






Over the past 2 FY's:

- This trend shows the pandemic-related level shift of decreased rate since April 2020 and it may be due to increased virtual care visits for Ambulatory Care Sensitive Conditions patients.
- The Ambulatory care sensitive conditions best managed elsewhere is performing better since April 2020, except in • September 2020, October 2020.
- Since April 2020, KW4 Ambulatory Care Sensitive Conditions BME : 11% of the time above the target value (rate) of 20.4



ALC Rate (%) - April 2020 to December 2021




Since April 2020, KW4 ALC rate:

- Has been at an overall average of 16.7%
- 38.1% of the time above the target of 16.70%
- Peak in Jun2020-Jul 2020 happened because GRH accepted patients from LTC homes that had outbreak
- Peak in Jan 2021-Feb 2021 happened because GRH accepted regional ALC patients from SMGH, CMH, etc.



Frequent ER Visits For Help with Mental Health & Addictions (%) - April 2020 to December 2021




Over the past 2 FY's:

- The frequent ER visits for help with mental health & addictions is significantly increased between February 2021 and June 2021 and there is an increase between October 2021 and December 2021.
- Since February 2021, KW4 frequent ER visits for help with MH & A : 91% of the time above the target value of 7.4% 8

Total Expense / Health Profile Group Population for Palliative Care in Millions(\$)

*


*







Total Expense / Health Profile Group Population for Dementia (\$M)





FY 2021/22 Quarterly Summary Report

*

∲

S.No	Indicator	Unit of Measure	Q1	Re Q2	port Q3	Q4	Proposed Target
1	Caregiver distress among home care clients	%	60.5	58.9	58.5		<= 56%
2	Hospitalization rate for conditions that can be managed outside hospital (asthma, diabetes, chronic obstructive pulmonary disease, heart failure, hypertension, angina and epilepsy)	Rate per 100,000 population	45.6	52.2	Oct: 16.7 Nov: 17.7 Dec:		<= 61.2 Quarterly (244.80 annually)
3	Alternate Level of Care (ALC) rate	%	14.4	16.2	16.7		<=16.70%
4	Frequent Emergency Room Visits for Help With Mental Health and/or Addictions	%	14.5	8.3	14.3		<=7.40%





Indicator Definitions

Indicator Name	Indicator Description	Calculation Method	Data Source	Target	Performance Corridor
Caregiver distress among home care clients	 This outcome indicators measures the percentage of long-stay home care clients whose unpaid caregivers experience distress in a 1-year period (a risk-adjusted percentage). A caregiver is defined as a person who takes on an unpaid caring role for someone who needs help because of a physical or cognitive condition, an injury or a chronic life-limiting illness. This caregiver can be a spouse, child/child-in-law, other relative or friend, or neighbour who lives or does not live with the client. Caregivers who are distressed are defined as primary caregivers who express feelings of distress, anger or depression and/or any caregiver who is unable to continue in their caring activities. This indicator defines long-stay clients as those who have already been receiving home care for at least 60 days. When a client has more than one home care assessment within a given year, the most recent assessment will be included in the analysis. A lower rate is better. 	 Numerator divided by the denominator times 100 Numerator - Total number of home care clients who, at the time of their most recent assessment in the given year, have an unpaid caregiver who is experiencing distress. Denominator - Total number of long-stay home care clients with a caregiver at the time of their most recent assessment in the given year HQO Indicator Library for this measure Reported value is adjusted for cognitive impairment, Activities of daily living impairment, medical complexity. The current performance data is for the WWLHIN. In future reports we hope to be able to report this at the KW4 OHT level. 	interRAI Home Care © assessments, data supplied by Ontario Health Shared Services	<=56.0%	 Green - Less than or equal to 56.0% Yellow - Between 560% - 61.0% Red - Greater than 61.0%
Hospitalization rate for conditions that can be managed outside hospital Rate of hospitalization for Ambulatory Care Sensitive Conditions (ACSCs)	 This outcome indicator measures the rate of hospitalization, per 100,000 people aged 0 to 74 years, for one of the following conditions that, if effectively managed or treated earlier, may not have resulted in admission to hospital: asthma, diabetes, chronic obstructive pulmonary disease, heart failure, hypertension, angina and epilepsy. A lower rate is better. 	 This indicator is calculated as the numerator divided by the denominator per 100,000 population Numerator - The number of inpatient records from acute care hospitals during each fiscal year with any ambulatory care sensitive condition (ACSC) as the most responsible diagnosis. Denominator - The number of people in Ontario aged 0 to 74 years. HQO Indicator Library for this measure 	Discharge Abstract Database (DAD) Registered Persons Database (RPDB)	<=20.40 monthly (244.80 annually)	 Green – Less than or equal to 20.40 monthly (244.80 annually) Yellow – Between 20.40 – 22.44 Red – Greater than 22.44

*	

*

•

Indicator Definitions

Indicator Name	Indicator Description	Calculation Method	Data Source	Target	Performance Corridor
Alternate Level of Care (ALC) rate	 This process indicator measures the total number of alternate level of care (ALC) days contributed by ALC patients within the specific reporting month/quarter using near-real time acute and post-acute ALC information and monthly bed census data. Alternate level of care (ALC) refers to those cases where a physician (or designated other) has indicated that a patient occupying an acute care hospital bed has finished the acute care phase of their treatment. A lower rate is better. 	 This indicator is calculated as the numerator divided by the denominator times 100. Numerator - The total number of inpatient days designated as alternate level of care (ALC) in a given time period (i.e., monthly, quarterly, yearly). Inpatient service type is identified in the Wait Time Information System (WTIS). Calculation:- Acute ALC days equals the total number of ALC days contributed by ALC patients waiting in non-surgical, surgical and intensive/critical care beds. Post-acute ALC days equals ALC days for Inpatient Services in complex continuing care, rehabilitation and mental health beds. Denominator - The total number of inpatient days in a given time period (i.e., monthly, quarterly, yearly). Calculation: Acute Patient days = the total number of patient days occupying Acute with Mental Health Children/Adolescent (AT) beds. Post-Acute Patient days = the total number of patient days occupying in General Rehabilitation (GR) + Special Rehabilitation (SR) Beds. Mental Health - Adult (MH) Beds HQO Indicator Library for this measure <td>GRH and SMGH Cerner Patient Days Report Wait Time Information System (WTIS)</td><td><=16.70%</td><td> Green - Less than or equal to 16.70% Yellow - Between 16.70 - 18.37% Red - Greater than 18.37% </td>	GRH and SMGH Cerner Patient Days Report Wait Time Information System (WTIS)	<=16.70%	 Green - Less than or equal to 16.70% Yellow - Between 16.70 - 18.37% Red - Greater than 18.37%
Frequent Emergency Room Visits for Help With Mental Health and/or Addictions	 This outcome indicator measures the percentage of people with four or more visits over the previous 12 months, among people who visited the emergency department for a mental illness or addiction. A lower rate is better. 	 Numerator divided by the denominator times 100 Numerator - Total number of individuals who had at least one emergency visit for mental health and/or addictions (MHA) in a fiscal year. The most recent visit in a fiscal year is the index visit. Denominator - Total number of individuals in the denominator who had at least four emergency department visits for mental health and/or addiction in a 365-day period. Each individual has a 12-month look-back period prior to his or her most recent visit in a given year. Therefore, data for two fiscal years is necessary to obtain the data for the numerator. HQO Indicator Library for this measure One difference - One difference - We include patients with invalid health card numbers (e.g. HCN=1 or 0). They are linked using Cerner Person_ID as this is shared between GRH and SMGH. 	National Ambulatory Care Reporting System (NACRS)	<=7.40%	 Green – Less than or equal to 7.40% Yellow – Between 7.40 – 8.14% Red – Greater than 8.14%



Indicator Definitions

Indicator Name	Indicator Description	Calculation Method	Data Source	Target	Performance Corridor
Total Expense / HPG Population for Palliative and Dementia	 CIHI has identified 239 Health Profile Groups (HPGs) that summarize an individual's clinical profile down to the most complex and clinically relevant health condition (i.e., each Ontario resident has been assigned to only one HPG). This indicator calculates all publicly funded health care spending including hospital, home and community care, long term care, physician services and drugs expenses per Health Profile Group. 	 Calculated by dividing total health care expenditures for each HPC / HPG by the OHT population assigned to each HPC or HPG. Health Profile Category (HPC) - CIHI has identified 16 HPCs that summarize condition by type and severity. Health Profile Group (HPG) - CIHI has identified 239 HPGs that summarize an individual's clinical profile down to the most complex and clinically relevant health condition (i.e., each Ontario resident has been assigned to only one HPG). S001 - Palliative state (Acute) Q007 - Dementia (including Alzheimer's) with significant comorbidities. 	Ministry of Health provides this data to OHT on a periodic basis (currently annually).	Palliative - <=\$115.4M plus inflation Dementia - <=\$78.8M plus inflation	 Palliative: Green - Less than or equal to \$115.4M plus inflation Yellow - Between \$115.4M - \$126.9M plus inflation Red - Greater than \$126.9M plus inflation Dementia: Green - Less than or equal to \$78.8M plus inflation Yellow - Between \$78.8M - \$86.7M plus inflation Red - Greater than \$86.7M plus inflation

